#### Please enter the following amended claims:

12. (Three Times Amended) A bottom anti-reflective coating material composition comprising a polymer light absorbent having at least one group represented by the following formula (X), (XI), (XII), (XIII), (XIV) or (XV) on the side chain and

a thermal cross-linking agent:

$$(X_1)(X_2)C = C$$

$$(Z_1)_n$$

$$(Z_2)_m$$

$$(X_3)(X_2)C = C(X_1)$$

$$(Z_1)_n$$

$$(X_1)$$

$$(X_3)(X_2)C = C(X_1)$$

$$-W' = (Z_1)_n$$

$$(Z_2)_m$$

$$(XII)$$

$$-W'-A_1$$

$$(Z_2)_m$$
(XIII)

$$-\mathbf{W}'$$

$$(\mathbf{Z_2})_{\mathbf{m}}$$

$$\mathbf{A_2}$$
(XIV)

$$\begin{array}{c} -W' \\ A_2 - (Z_1)_n \\ (Z_2)_m \end{array}$$

wherein W' represents a divalent linking group,  $X_1$  to  $X_3$ , which may be the same or different, each represents a hydrogen atom, a halogen atom, a cyano group or  $-(X_4)_p$ -R wherein R represents an alkyl group having from 1 to 20 carbon atoms, an aryl group having from 6 to 20 carbon atoms or an aralkyl group having from 7 to

20 carbon atoms, which may have a substituent,  $X_4$  represents a single bond,  $-CO_2$ -, -CONH-, -O-, -CO-, an alkylene group having from 2 to 4 carbon atoms or  $-SO_2$ -, p represents an integer of from 1 to 10,  $Z_1$  and  $Z_2$ , which may be the same or different, each represents an electron donating group, m and n represent an integer of from 0 to 2 and from 0 to 3, respectively, and when m is 2 or m and n each is 2 or 3, the  $Z_1$  groups or the  $Z_2$  groups may be the same or different,  $A_1$  represents a divalent aromatic ring or heteroaromatic ring group having from 5 to 14 carbon atoms, which may have a substituent, and  $A_2$  represents an aromatic ring or heteroaromatic ring group having from 5 to 14 carbon atoms, which may have a substituent.

18 (Amended). A bottom anti-reflective coating material composition as claimed in claim 12, wherein said polymer light absorbent contains from 2 to 50 wt% of the repeating structural unit represented by the following formula (XXVII):

$$\begin{array}{c} \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \end{array}$$

wherein R<sub>2</sub> represents a hydrogen atom, a methyl group, a chlorine atom, a bromine atom or a cyano group, and B<sub>1</sub> represents a group containing -CH<sub>2</sub>OH, -CH<sub>2</sub>OR<sup>7</sup> or

-CH<sub>2</sub>OCOCH $_3$  at the terminal wherein  $R^7$  represents a hydrocarbon group having from 1 to 20 carbon atoms.

19 (Three Times Amended). A bottom anti-reflective coating material composition comprising a polymer light absorbent having at least one group represented by the following formula (X), (XI), (XII), (XIII), (XIV) or (XV) on the side chain:

$$(X_1)(X_2)C = C$$

$$(Z_1)_m$$

$$(X)$$

$$(X_3)(X_2)C = C(X_1)$$

$$(Z_2)_m \qquad W'$$

$$(X_1)$$

$$(X_3)(X_2)C = C(X_1)$$

$$-W - (Z_2)_m$$
(XII)

$$-W'-A_1$$

$$(Z_2)_m$$
(XIII)

$$-\mathbf{W}'$$

$$(\mathbf{Z}_2)_{\mathbf{m}}$$

$$\mathbf{A}_2$$
(XIV)

$$A_2 \xrightarrow{(Z_2)_m} (Z_1)_n \qquad (xv)$$

wherein W' represents a divalent linking group,  $X_1$  to  $X_3$ , which may be the same or different, each represents a hydrogen atom, a halogen atom, a cyano group or  $-(X_4)_p$ -R wherein R represents an alkyl group having from 1 to 20 carbon atoms, an aryl group having from 6 to 20 carbon atoms or an aralkyl group having from 7 to

20 carbon atoms, which may have a substituent, X<sub>4</sub> represents a single bond, -CO<sub>2</sub>-, -CONH-, -O-, -CO-, an alkylene group having from 2 to 4 carbon atoms or -SO<sub>2</sub>-, p represents an integer of from 1 to 10, Z<sub>1</sub> and Z<sub>2</sub>, which may be the same or different, each represents an electron donating group, m and n represent an integer of from 0 to 2 and from 0 to 3, respectively, and when m is 2 or m and n each is 2 or 3, the Z<sub>1</sub> groups or the Z<sub>2</sub> groups may be the same or different, A<sub>1</sub> represents a divalent aromatic ring or heteroaromatic ring group having from 5 to 14 carbon atoms, which may have a substituent, and A<sub>2</sub> represents an aromatic ring or heteroaromatic ring group having from 5 to 14 carbon atoms, which may have a substituent;

and having from 2 to 50 wt% of a repeating structural unit represented by formula (XXVII):

$$\begin{array}{c|c} R_2 \\ \hline CH_2 - C \\ B_1 \end{array} \tag{XXVII)}$$

where R<sub>2</sub> represents a hydrogen atom, a methyl group, a chlorine atom, a bromine atom or a cyano group, and B<sub>1</sub> represents -CONHCH<sub>2</sub>OH, -CONHCH<sub>2</sub>OCH<sub>3</sub>, -CH<sub>2</sub>OCOCH<sub>3</sub>, -C<sub>6</sub>H<sub>3</sub>(OH)CH<sub>2</sub>OH, -C<sub>6</sub>H<sub>3</sub>(OH)CH<sub>2</sub>OCH<sub>3</sub> or a group obtained by reaction of a group represented by -CONHC(CH<sub>3</sub>)<sub>2</sub>CH<sub>2</sub>COCH<sub>3</sub> with formalin.